



SO No.00010 Dt 15-05-2025

## अनुबंध | Contract

अनुबंध क्रमांक | Contract No: GEMC-511687703570765

अनुबंध तिथि | Generated Date : 15-May-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5729217](#)

## संगठन विवरण | Organisation Details

प्रकार | Type : Central PSU  
 मंत्रालय | Ministry : Ministry of Coal  
 विभाग | Department : COAL INDIA LIMITED  
 संगठन का नाम | Organisation Name : Central Mine Planning and Design Institute Limited  
 कार्यालय क्षेत्र | Office Zone: Headquarters Ranchi Jharkhand

## खरीदार विवरण | Buyer Details

पद | Designation : Deputy Manager  
 संपर्क नंबर | Contact No. : 0651-2792313-  
 ईमेल आईडी | Email ID : ambrish.chaubey@nic.in  
 जीएसटीआईएन | GSTIN : 20AAACC7475N1ZI  
 MATERIAL MANAGEMENT DEPARTMENT, CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED, GONDWANA PLACE, KANKE ROAD, RANCHI, JHARKHAND-834008, India  
 पता | Address :

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : Yes  
 प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: GM (MM)  
 वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Sr. Manager (Finance)

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO  
 भुगतान का तरीका | Payment Mode: Offline  
 पद | Designation : Manager Finance  
 ईमेल आईडी | Email ID : deepak.sabharwal@coalindia.in  
 जीएसटीआईएन | GSTIN : 20AAACC7475N1ZI  
 FINANCE DEPARTMENT, CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED, GONDWANA PLACE, KANKE ROAD, RANCHI, JHARKHAND-834008, India  
 पता | Address:

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : SZUS210003005737  
 कंपनी का नाम | Company Name : AIREN POWER  
 संपर्क नंबर | Contact No. : 07009272357  
 ईमेल आईडी | Email ID : airenpowerrajpura@gmail.com  
 पता | Address : PLOT NO.5, NEW FOCAL POINT, NEAR NSIC OFFICE, RAJPURA, Patiala, PUNJAB-140401, -  
 एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-PB-17-0005003  
 जीएसटीआईएन | GSTIN: 03AAOPG4796P2ZY (R) , (M)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति | MII Status as evaluated by buyer : Verified  
 खरीदार द्वारा सत्यापित एमएसएमई स्थिति | MSME Status as verified by buyer : Verified  
 एमएसई सामाजिक श्रेणी | MSE Social Category : General  
 एमएसई लिंग श्रेणी | MSE Gender : Female

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : AIREN POWER Distribution Transformer, 3 Phase, 11 KV, > 200 KVA Up to and including 2500 KVA ब्रांड   Brand : AIREN POWER ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्भाँश   Category Name & Quadrant : Distribution Transformer, 3 Phase, 11 KV > 200 KVA up to and Including 2500 KVA (Q3) मॉडल   Model: 630KVA TRANSFORMER एचएसएन कोड   HSN Code: 8504	1	pieces	1,550,000	जीएसटी   GST (18%) : 236,440.678 जीएसटी उपकर 1   GST Cess 1 (0%) : 0 जीएसटी उपकर 2   GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी)   Input Tax Credit (ITC) on GSTI (100%) : 236,440.678 जीएसटी उपकर पर आईटीसी 1   ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2   ITC on GST Cess 2 (0%) : 0	1,550,000

कुल ऑर्डर मूल्य | Total Order Value (in INR)

1,550,000

## परेष्टी विवरण | Consignee Detail

क्र.सं.   S.No	प्रेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : santosh.chaudhary@nic.in संपर्क   Contact : +91-987788900- जीएसटीआईएन   GSTIN : 20AAACC7475N1ZI पता   Address : MATERIAL MANAGEMENT DEPARTMENT, CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED, GONDWANA PLACE, KANKE ROAD, RANCHI, JHARKHAND-834008, India	AIREN POWER Distribution Transformer, 3 Phase, 11 KV, > 200 KVA Up to and including 2500 KVA	-	1	15-May-2025	14-Jul-2025

**Product Specification for AIREN POWER Distribution Transformer, 3 Phase, 11 KV, > 200 KVA Up to and including 2500 KVA**

विवरणीय   Specification	उप-विवरणीय   Sub-Spec	मूल्य   Value
STANDARDS	Conformity of the specification as per IS:1180 (Part 1):2014 latest	Conformity of the specification
	ISI Marked	Yes
	BIS License Number - Must declare	9800037620
	Energy efficiency level	2
	BEE Star Rating	2
	Installation, Testing and Demonstration	No
	Minimum warranty on receipt of stores (in Months)	30
	Minimum warranty from the date of installation (in Months)	24
RATINGS	Nominal system voltage, HV (in kV)	11
	Nominal system voltage, LV (in V)	415
	Standard ratings (in kVA)	630
	Rated frequency	50 Hz +/-5%
	Minimum basic insulation level (in kVp)	75
	No load voltage ratios (in Volts)	11000/433-250
	Highest system voltage for equipment (in kV)	12
	Rated lightning impulse withstand voltage (in kV Peak) (Refer IS:1180 (Part 1):2014 Annex-D)	75
CONSTRUCTION	Core material	CRGO (as per IS:3024 latest)
	Conductor (Winding) material	Copper
	Insulating paper	Kraft Paper (as per IS:9335 latest)
	Vector Group	Dyn-11
	Type of Mounting	Ground Mounted
	Method of system earthing	solidly earthed
	Standard fittings shall be provided with each distribution transformer	as per Cl.20.1 of IS:1180 (Part 1):2014 Amdt.1
	Noise level at rated voltage and frequency, Maximum (in dB)	55
TRANSFORMER TANK	Transformer tank cover construction	Non-sealed, Bolted
	Tank configuration with	With radiator fins
	Type of cooling	ONAN
	Material of transformer tank	Stainless steel
	Minimum thickness of top and bottom material of transformer tank (in mm)	6
	Minimum thickness of side material of transformer tank (in mm)	4
	Material of Bolts/Nuts/Wahers exposed to atmosphere	Stainless steel (for upto 12 mm size),Brass (for upto 12 mm size),Electro Galvanized (for above 12 mm size),Hot Dip Galvanized (for above 12 mm size)
	Gaskets wherever used shall conform to	Type III (as per IS:11149) Type C (as per IS:4253 (Pt.2)
	Provision of conservator	Yes , for Non sealed type with Plain tank construction
	Insulating Oil	Mineral oil (as per IS:335 latest)
	Quantity of Insulation oil required (in litres) - Must declare	AS PER IS

	Transformer to be supplied with transformer oil	Yes
	Shape of transformer tank	Rectangular
	Pressure and Vacuum requirements	as per Cl.15.2 of IS:1180 (Part 1):2014 latest
Painting	Type of painting on inside of tank (hint: Refer Table 12 of IS:1180 (Pt.1):2014)	Oil resistant paint
	Type of painting on External surface of tank (hint: Refer Table 12 of IS:1180 (Pt.1):2014)	Epoxy (Primer),Polyurethane (finish coat)
TAP CHANGER	Tap changing arrangement	Off circuit , through link
	Winding tapped	HV
	No. of positions (in Nos.)	7
	Voltage variation	+5% to -10% in steps of 2.5% for variation of HV
TERMINAL ARRANGEMENT	Transformer fitted with bushings of appropriate voltage and current ratings on HV side	Yes. 3 Nos. (Conforming to IS:2099)
	Transformer fitted with bushings of appropriate voltage and current ratings on LV side	Yes. 4 Nos. (Conforming to IS:7421)
	Suitable provision for adoption of cables of suitable size on LV side	Yes. For PVC/XLPE Cables
	Cable End Box on HV side	Yes
	Cable End Box on LV side	Yes
AIR CLEARANCE	Minimum External air clearances between bushings mounted on transformers	as per Table 10 of IS:1180 (Part 1):2014 latest
	Minimum air clearances in cable box	Without cable box
	Suitable bimetallic connectors (clamp type) shall be provided on both HV and LV side in order to ensure sound and robust connection	Not applicable
MARKING	Material of rating plate	Anodized aluminium
	Marking method on rating plate	Engraved
	Rating and terminal marking plates combined into one plate	Yes
	Dimension of Rating Plate, Terminal Marking Plate and Combined Rating and Terminal Plate	as per OEM Specn.
	Agreed to provide Departmental Logo/Identification marking ( shall be engraved on the transformer) as prescribed by buyer separately	Yes
OPTIONAL FITTINGS	Suitable rating lightning arrestors	HT Side, 1 No. per phase
	Bird guard	Yes
	Terminal connectors	Yes
	Oil temperature indicator and winding temperature indicator	Yes
	Jacking pads	Yes for transformer above 1600 KVA
	Buchholz relay	Yes
	Magnetic oil level gauge with low oil level alarm contact	No
	Non return valve	Yes
	Protection relay for sealed type transformers for internal parameters that is pressure, temperature, oil level and gas detection	No
	Unidirectional flat rollers	Yes
	Drain cum sampling valve	Yes with steel plug (for transformers upto 500 KVA)
	Self protection / disconnection devices	On secondary side (as per IS/IEC:60947-2:2003)
	Expulsion fuse as disconnection device	On Primary side (as per IS:9385 (Part 2):1980)
SERVICE CONDITION	Maximum ambient air temperature (in deg. C)	50
	Minimum ambient air temperature (in deg. C)	0
	Maximum average daily ambient air temperature (n deg. C)	40
	Maximum yearly weighted average ambient temperature (in deg. C)	32
	Min. Relative humidity (in % )	26
	Max. Relative humidity (in % )	95
	Max. Wind Pressure kg/sq.m	150
	Maximum altitude	<1000 m

TEST REPORTS & CERTIFICATIONS	Availability of type test reports to prove the confirmity of the specification from	NABL Accredited
	Agreed to furnish type test reports to the buyer / consingee on demand	Yes
	Agreed to furnish routin test reports to the buyer / consingee on demand	Yes
	Agreed to furnish valid BIS Licence certificte to buyer / consignee on demand	Yes
	Agreed to furnish valid Energy Star Rating certificte to buyer / consignee on demand	Yes
	Agreed to furnish complete drawings of Distribution transformer to the buyer / consignee on demand	Yes
	The design calculation in support of flux density shall furnish to the buyer / consignee	Yes
	Agreed for stage Inspection as required by buyer	Yes
	The product shall comply with all relevant Gazette notifications of Govt., of India with all latest amendments up to date, as applicable	Yes
SPECIAL TEST REPORTS	Availability of test report for Determination of sound level test	No
	Availability of test report for short circuit withstand test	Yes
	Availability of test report for No load current at 112.5 % Voltage	Yes
	Availability of test report for Paint adhesion test	No
	BDV and moisture content of oil in the transformer	Yes for 1 No.
	Other requirements	Losses and Impedance values as per Cl.7.8 and Table 6 of IS:1180 (Part 1):2014 latest, Limits of temeptrature-rise as per Cl.7.10 of IS:1180 (Part 1):2014 latest

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 9800037620

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for AIREN POWER Distribution Transformer, 3 Phase, 11 KV, > 200 KVA Up to and including 2500 KVA

विवरण   Specification	मूल्य   Value
Energy efficiency level and BEE Star Rating	Energy efficiency level should be 3 with 4 Star BEE Rating
Additional requirements	Oil Conservator with oil level indicator, Magnetic oil level indicator with low oil level alarm contacts, explosion/relief vent with double diaphragm equalizer connection, dismantling of existing transformer and installation of new transformer in its place with foundation work, as per the instructions of EIC.
Supervisory alarm and trip contacts	Required for oil temperature indicator, gas operated double float relay and winding temperature indicator
Additional accessories required	Inspection cover, filter valves, jacking pads, lifting lugs and marshalling box
First filling of transformer oil and test reports	First filling of transformer oil as per IS:335 shall also be included in the offer and all type test and routine test certificates as per IS 1180:2014 (Level 3) shall also be provided along with supply of transformer.

#### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

#### आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 2.2 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

#### 2.3 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 2.4 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 2.5 Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 2.6 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 2.7 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 2.8 Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

GM (TE&CM) or his authorized representative

Post Receipt Inspection at consignee site before acceptance of stores:

GM (TE&CM) or his authorized representative

#### 2.9 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

CMPDIL

payable at

RANCHI

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 2.10 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

CMPDIL

payable at

RANCHI

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 2.11 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 2.12 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 2.13 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

**A. Qualifying Criteria:**

**Procurement from established & proven sources:**

**Procurement against this tender shall be made only for proven items from established & proven sources, who fulfills the following criteria:**

**Offers of the Bidders, who are past suppliers to Mining Industry and/or other Industries (Private or Government Department/ Public Sector Undertaking - Indigenous or Global), will be considered eligible for participation, if they have supplied at least one number of the tendered equipment/similar equipment\*, during the preceding 5 years from the date of tender opening and their performance has been found satisfactory for one year.**

\* Similar Equipment shall be such Equipment, which fulfills the following:

(a) **Performs almost identical operations as the quoted model.**

(b) **Should be equal to or higher than the tendered capacity.**

(c) **Uses sub-components, sub-systems and major assemblies of substantially similar design & construction to the model quoted - only rating specifications may differ (Lower or Higher)**

**Bidders are required to submit a Self-Certificate in the following format, along with the Proof of payment against the Purchase Order(s)/ Rate Contract(s) and Commissioning Certificate(s) (in case of Equipment, P&M, etc. where installation & commissioning is required):**

**"The items covered in the Purchase Order(s)/ Rate Contract(s) copies enclosed with our offer have been fully executed and have performed satisfactorily as per the provisions of respective Purchase Order(s)/ Rate Contract(s) for minimum one year from the date of commissioning and all the complaints/ claim(s) lodged by the purchaser, if any, have been attended to and no complaints/ claim(s) are pending."**

**In case, any specific Purchase Order(s) has/have not been fully executed and any complaint/claim is pending, then details of such cases to be categorically mentioned with the reasons thereof so that decision making is in clear perspective without any hidden facts in the subject matter.**

**The authenticity of the self-certificate as well as other documents submitted/uploaded by the bidder will solely be their responsibility and appropriate action will be taken by CMPDIL if it is subsequently found to be misleading/false/forged.**

**Note: Acceptance Criteria for similar Equipment:**

**In case, the bidder claims provenness of the quoted model based on similar equipment, the similar equipment should have performed satisfactorily for a minimum period of one year from the date of commissioning and the quoted model should have worked for a minimum period of six months from the date of commissioning within the window period of 5 years.**

**In case the bidder claims provenness of the quoted model based on similar equipment and the similar equipment has performed satisfactorily for a minimum period of one year from the date of commissioning, but the quoted model has not worked for a minimum period of six months, the offer may be accepted subject to the conditions mentioned under here under :**

**a. The quoted model should have been designed, manufactured and supplied to the end-user but has not been commissioned or if commissioned, has not completed six months of operation after the commissioning. Documentary evidence for past supply of the quoted model is to be provided along with the offer.**

**or**

**The quoted model is an upgraded version of the existing model with improved and the latest drive line/system etc. and has not been manufactured and/or supplied earlier. In such case, the basic model should remain the same. Documentary evidence of past supply of the existing model whose upgraded version has been offered, is to be provided along with the offer.**

**b. (i) The successful bidder will be allowed to supply the quantity (or quantity of the first lot) as indicated in Schedule of Requirement.**

**(ii) The firm shall be required to furnish additional Performance Bank Guarantee of 100% of the total landed 'value of equipment along with spares & consumables for warranty period for the quantity.**

**c. On satisfactory performance of all the equipment/first lot (if applicable) for one year from the date of commissioning [to be certified by the Head of the User Dept.], clearance shall be obtained from the order issuing authority for supply of the remaining quantity, if any, as per Schedule of Requirement.**

**d. The additional 100% Performance Bank Guarantee shall be returned only after satisfactory performance of all the equipment/first (if applicable) lot for one year from the date of commissioning.**

**e. The original 10% PBG for the total contract value will be retained for entire contract period.**

**f. In case of unsuccessful performance of the equipment/first lot (if applicable) supplied by the firms who qualify as per above clauses, the following shall be applicable:**

**i) The 100% Additional Performance Bank Guarantee for the equipment/first lot (if applicable) shall be encashed by CMPDI. Consequent upon the encashment of the 100% Bank Guarantee due to non-achievement of stipulated minimum availability percentage, the Supplier shall take back the equipment at no cost to the Purchaser and the contract for the balance quantity shall be cancelled.**

- ii) The original 10% performance bank guarantee shall be returned to the supplier after recovery of penalty for non-achievement of guaranteed availability in respect of equipment/first lot (if applicable).
- iii) The performance of any individual equipment/first lot (if applicable) under this clause shall not be considered for provenness in future tenders of CIL & subsidiaries for any capacity of this type of equipment.
- iv) In case of equipment imported under Project Concessional Duty (PCD), the amount of Customs Duty Concession i.e. the differential amount of Normal Customs Duty (NCD) and PCD availed during import shall be recovered from the supplier with interest for refund to the Customs Authorities. The supplier shall deposit such amount to the purchaser on demand else the same shall be recovered from the Security Deposit Bank Guarantee / Performance Bank Guarantee of the supplier.

**Exemption from Prior experience - prior turnover criteria for Startup, Micro and Small Enterprises (MSEs) in Public Procurement:**

Prior experience and prior turn over criteria is not applicable for Startup & MSEs in respect of either of the following situations and no further documents regarding proven-ness will be required to be submitted by this category of Bidders.

- a) If Bidders have submitted documents to prove the Startup / MSE status for the tendered item without certificate towards quality, assurance and capability from some authority like MSME, NSIC, etc., the Tender Inviting Authority, if required, may assess the techno-commercial capability of the vendors to manufacture and deliver goods as per the prescribed quality and technical specification before awarding contract to them. For this purpose, a 'PROFORMA for Equipment and Quality Control' (as per the format at Annexure-I attached under 'Buyer uploaded ATC document') has been enclosed in the tender documents and such MSEs/ STARTUPS should submit the details of plant & machinery, quality control arrangements, etc., in the above PROFORMA along with their bids for verification of their technical capability.

If required, a techno-commercial team of the organization may visit the manufacturing unit of the vendor without any undue delay for quick finalization of the tenders.

- b. If favorable technical capability reports obtained earlier on such firms for supply of the item in question as per the required specification is available, these may be considered, provided date of such reports is not more than one year from the date of opening of bids.

In case there is deficiency in technical capacity of the firm, the same shall be communicated to them by the Tender Inviting Authority for improvement in the quality of their product for future tenders, clearly indicating that their offer cannot be considered for relaxation against the tender in question and to avoid any future complications. The issues relating to Technical capability may be decided by the Head of the Technical Department.

- c. If Bidders have submitted documents to prove the startup / MSE status for the tendered item and whose products are ISI marked / DGMS approved / covered under DGS&D Rate Contracts on them / current holding Rate Contracts with CIL or its Subsidiary for supply of the tendered item / supplied and proven in CIL or its Subsidiary Companies / Proven product of the Ancillary unit of a Subsidiary Company of CIL, they will be required to submit the applicable related documents, duly self-attested, for relaxation: -

- Valid BIS Marking License for the quoted items on them.

OR

- Rate contract as issued by CIL / any other Subsidiary for the quoted items on them.

OR

- Valid DGMS Approval certificate for the quoted items on them.

OR

- Proven Ancillary certificate issued by Subsidiary Companies for the quoted items on them.

The Document (s) / Certificate (s), by the Bidders for ISI marking and DGMS approval for any relaxation should be valid as on date of tender opening and a copy of such document / certificate valid as on date of supply, duly self-attested, must accompany their bill(s).

**N.B.:**

- a. Definition and Eligibility of Startup shall be in line with OM vide letter no. F-20/2/2014 PPD (pt.) Dtd. 25.07.2016 of Under Secretary to GOI, Ministry of Finance, Department of Expenditure, Procurement Policy Division, New Delhi, with subsequent amendments, if any.

- b. Definition of MSEs shall be as per Public Procurement 2012, with subsequent amendments, if any.

**B. Payment to MSME through TReDS:**

In order to improve the Working Capital of MSME Vendors, Govt has given Guidelines for Payment to MSMEs through TReDS (Trade Receivable Discounting System). CMPDI is already on Board at TReDS platform of Receivable Exchange of India Ltd. (RXIL) with its Membership Code: CE0000779

The contact details of RXIL-

Website : [www.rxil.in](http://www.rxil.in)

Portal : [www.treds.in](http://www.treds.in)

Contact Person : (1) Ms Upasana Majumder (Mob 8697212759;

E-mail [upasana.majumder@rxil.in](mailto:upasana.majumder@rxil.in)

(2) Mr. Mainak Mandal ( Mob [9475622182](tel:9475622182);  
E-mail [mainak.mandal@rxil.in](mailto:mainak.mandal@rxil.in) )

The willing MSME Vendors, who are participating in this tender should ensure about their respective on-boarding at RXIL and should mention their Membership Code in their offer.

The MSMEs by on-boarding at RXIL shall be deemed to have agreed for payment through TReDS platform of RXIL by following prescribed procedures regarding factoring of invoices etc. at the said platform. Bidders to provide an Undertaking as per the format at Annexure -II attached under 'Buyer uploaded ATC document'.

#### C. SECURITY-CUM-PERFORMANCE BANK GUARANTEE:

The successful Bidder shall furnish a Performance Guarantee, towards performance of the supply order / contract, equivalent to 10% of the total value of the supply order / contract as per the format at Annexure - IV attached under 'Buyer uploaded ATC document'. The value of the Order will be arrived at by adding all the taxes and duties applicable, such as CGST, SGST or IGST or UT-GST, etc., to the FOR Destination price of the material as applicable on the date of tender opening.

The BG shall be issued by a RBI Scheduled Bank in India on SFMS platform and shall be irrevocable and unconditional. CMPDI shall have the powers to invoke it notwithstanding any dispute or difference between contractors and CMPDI, pending before the court, tribunal, arbitrator or any other authority. The Issuing Bank have to send the BG details through SFMS platform to our bank, details of which are as follows:

**Name of Bank:** State Bank of India; **Branch:** CMPDI Branch; **IFSC:** SBIN0005598; **A/c No:** 10106155087  
**Address:** Gondwana Place, Kanke Road, CMPDIL Campus, Ranchi - 834008.

Such Bank Guarantee should remain valid till 3 months after completion of warranty period of all the equipment/ items covered in the contract. The release of the Performance Bank Guarantee(s) shall be subject to satisfactory performance of the equipment/item during the warranty period and fulfilment of contractual obligations failing which, action for further extension or encashment of PBG, as deemed suitable shall be take. The Bank Guarantee will have to be extended, if required.

In case the bidder does not have after sales service support facilities in India and if an undertaking has been submitted along with the offer that in the event of placement of order on them, they will establish the above facilities in India within the completion period of warranty of the equipment commissioned, then the successful Bidder shall furnish an additional Performance Guarantee equivalent to 30% of the total value of the supply order / contract to remain valid for the entire Warranty period + 3 month for entering into AMC/CAMC, if any + additional 3 months for claim period. This 30% PBG shall be released after establishment of after sales service support facility in India, subject to confirmation of the same by the concerned Head of Technical Department. However, the supplier has to submit PBG of 10% of the total contract as stated above. This 10% PBG will be released after satisfactory performance of all equipment/items and fulfilment of contractual obligations including warranty obligations.

If Performance Guarantee is submitted in the form of 'Bank Guarantee' the original instrument thereof shall be retained by CMPDI after its relinquishment / absolution and returned only against specific request, after completion of the claim period.

In cases where the supplier does not submit the PBG in time or as per the prescribed format in line with the contract stipulations, the PBG amount may deducted from the first bill or in case of insufficient amount, from subsequent bill(s) of the supplier till the full PBG amount is deducted. This amount shall be refunded to the supplier upon acceptance of PBG submitted by them.

**N.B.:** In case of forfeiture of the Performance Bank Guarantee, GST will be accounted for as per applicable provisions.

#### D. Payment Terms:

1. Payment for 80% value of the equipment and accessories with 100% taxes and duties and other charges shall be released within 21 days after delivery of the equipment and receipt & acceptance of Performance Bank Guarantee or submission of bills complete in all respects, whichever is later.

2. Payment for balance 20% value of the equipment and accessories shall be released within 21 days after successful commissioning, testing, training and final acceptance of the equipment (along with the accessories) and upon presentation of certificates from the User Dept. to the effect that the equipment has been successfully commissioned or submission of bills complete in all respects, whichever is later.

**Number of days allowed for Installation, Commissioning, Testing and Training after product delivery or communication of site readiness/ readiness by user dept. to seller: 30 Days.**

#### E. List of documents to be submitted by the bidder with their Offer:

1. MSE Certificate, if applicable.
2. OEM Authorization/Distributor Authorization/Self Manufacturer certificate.
3. Documents as per Proven-ness criteria.
4. Proforma for Equipment and Quality Control, if applicable (Annexure - I attached under 'Buyer uploaded ATC document').
5. Undertaking for using TReDS Platform of RXIL, if applicable. (Annexure - II attached under 'Buyer uploaded ATC document').
6. Certification for Local Content - Make in India Compliance (Annexure - III attached under 'Buyer uploaded ATC document').
7. Any other document as per bid document.

**2.14 Buyer Area Specific ATC:**

Buyer uploaded ATC document [Click here to view the file](#).

**2.15 Warranty:**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**2.16 Inspection:**

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission of the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Contract no.: GEMC-511687703570765 dated 15-May-2025  
**SAP PO No.: 5100016420 dated 15-May-2025**

Subject: Procurement of one 630 KVA Distribution Transformer meant for TE&CM Division.

Please find attached herewith supply order copy (contract) placed on M/s. Airen Power, Patiala (CIL Vendor Code: 10104447).

Indenter: TE&CM Division, CMPDI HQ, Ranchi.

SAP PR No.: 1300162749 dated 27.09.2024

MII Compliance: Class – I

Whether MSE/Startup: MSE (Women)

(Ambrish Chaubey)  
Dy. Manager (MM)

(Sushant Gaurav)  
Sr. Manager (MM)

#### प्रतिलिपि प्रेषण :-

- मुख्य सतर्कता अधिकारी, सी एम पी डी आई, रॉची ।
- महाप्रबन्धक (सामग्री प्रबन्धन), सी एम पी डी आई, रॉची ।
- महाप्रबन्धक (नगर अभियंत्रण), सी एम पी डी आई, रॉची ।
- महाप्रबन्धक (वित्त), सी एम पी डी आई, रॉची ।
- विभागाध्यक्ष (भण्डार), सीएमपीडीआई, रॉची ।
- सचिव – निदेशक (तक.) (सी आर डी) महोदय के सादर सूचनार्थ ।
- मास्टर संचिका ।

**नोट :-** उक्त आपूर्ति आदेश जारी करने पर सक्षम अधिकारी का अनुमोदन दिनांक 23.04.2025 एवं वित्तिय सहमति दिनांक 23.04.2025 (द्वारा डायरी संख्या E-1647138) को प्राप्त है ।

**संदर्भ :-** सामग्री प्रबन्धन (क्रय) विभाग के इंडेंट निबंधन संख्या एमएम/इंडेंट/81 दिनांक 28.11.2024; एवं बजट प्रमाण संख्या: C/SP/F.Y-2025-26/20000040/4290/30/109/1, वित्तिय वर्ष 2025-26, दिनांक 15.05.2025 ।

Dy. Manager (MM)

Sr. Manager (MM)